



Thin Film Platinum RTD Probes and Assemblies Straight

[« Return](#)



Home

Company Information

- [About U. S. Sensor](#)
- [Mission Statement](#)
- [Newsletter](#)
- [Employment Opportunities](#)

Product Guide

- [NTC Thermistors](#)
- [NTC Probes & Assemblies](#)
- [RTD's](#)
- [RTD's Probes & Assemblies](#)

Technical Data

- [What is a thermistor](#)
- [Terminology](#)
- [Manufacturing](#)
- [Quality](#)


Markets and Applications

Find a Sales Rep/ Distributor


Contact Us

Electrical specifications as well as Dimensions "L1", "L2" and "D" are user selectable. Contact U.S. Sensor's [application engineering department](#) to design a probe assembly to best suit your requirements.

H1801 Aluminum




H2022 Stainless Steel





U.S. Sensor

1832 W. Collins Ave
 Orange, CA 92867
 Tel: 800-777-6467
 Tel: 714-639-1000
 Fax: 714-639-1220
 Email: sales@ussensor.com


H2766 Stainless Steel




H3171 Brass




H3699 Stainless Steel





H3700 Stainless Steel





H7231 S/S, Pointed Tip





H7361 Straight Stainless Steel Probe





H7362 Straight Stainless Steel Probe





H7363 Straight Aluminum Probe



H7364 Straight Stainless Steel Probe



H7365 Straight Aluminum Probe



H7658 Brass Probe with Concave Side

