



Thermistor Probe Assemblies Threaded

[« Return](#)



Home

Company Information

- [About U. S. Sensor](#)
- [Mission Statement](#)
- [Newsletter](#)
- [Employment Opportunities](#)

Product Guide

- [NTC Thermistors](#)
- [NTC Probes & Assemblies](#)
- [RTD's](#)
- [RTD's Probes & Assemblies](#)

Technical Data

- [What is a thermistor](#)
- [Terminology](#)
- [Manufacturing](#)
- [Quality](#)


Markets and Applications

Find a Sales Rep/ Distributor

Contact Us

Electrical specifications as well as Dimensions "L1", "L2" and "D" are user selectable. Contact U.S. Sensor's [application engineering department](#) to design a probe assembly to best suit your requirements.


H2081 NPT Stainless Steel




U. S. Sensor

1832 W. Collins Ave
 Orange, CA 92867
 Tel: 800-777-6467
 Tel: 714-639-1000
 Fax: 714-639-1220
 Email: sales@ussensor.com


H2998 1/4" NPT Brass





H3134 S/S Set Screw 8/32





H3135 S/S Set Screw 10/32




H3432 S/S Hex 10/32




H3433 Brass Hex 1/4"





H3475 1/8" NPT Brass




H3476 1/4" NPT Brass




H6243 Hex Head, M4 Thread




H6244 S/S, 1/2"-13 Straight Thread




H6246 S/S, 3/4"-16 Straight Thread





H6265 Hex Head, Nylon, 1/4"-20 Thread





H6268 S/S Threaded, Reverse NPT



H7202 S/S Double NPT, 1/4"-18 Thread



H7545 Stainless Steel Hex Head Screw 1/4"-20 Thread



H6264 Threaded Stainless Steel Micro-Probe

